


# SGE BRACKET

The SGE offers a wide range of possibilities for standard beams. With different heights and widths, you can tailor the attachment to your project's needs.

**SGE 95x100**

ONE SCREW - MANY APPLICATIONS



EXPECTED  
MINIMUM  
SERVICE LIFE

**100  
YEARS\***

\*Terms apply,  
see warranty terms

**ADAPTERS  
FOR EVERY  
PROJECT AND  
EVERY NEED**


## CERTIFICATE

Material	EN 10027-1:2016: S235 JR
Product CE	EN 1090
Galvanization	ISO 1461:2009
Manufacturing process	EN 1090 / ISO 9001:2015
Installation process	ISO 9001:2015
Expected min. service life*	100 years

\*StopDigging stipulates an estimated minimum lifetime for its ground screws. The amount reflects the number of years an installed screw is expected to fulfill its technical purpose under normal conditions, and is based on many years of experience and research.


# SGE 90x140

Art. no. 5061




# SGE 95x100

Art. no. 5002




# SGE 115x200

Art. no. 5062






# SGE 140x200

Art. no. 5063



# SGE 155x100

Art. no. 5020





**MAIN OFFICE:** GRUSTAGSGATAN 1B, 254 64 HELSINGBORG, SWEDEN  
**PHONE:** +46 10 - 147 07 00 | **MAIL:** INFO@STOPDIGGING.SE